Certificate of Compliance

Certificate Number:

UL-US-L247489-081127-03701202-2

Report Reference:

E247489-20210730

Issue Date:

2024-04-29

Issued to:

Wieland Electric GmbH
Brennerstrasse 10-14 Bamberg 96052
Germany

This certificate confirms that representative samples of:

CYJV - Cable Assemblies and Fittings for Industrial Control and Signal Distribution

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

UL 2238, Edition 3, Issue Date 2018-10-02, Revision Date 2024-03-12

Additional Information:
See UL Product iQ® at https://iq.ulprospector.com for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.

David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

© 2024 UL LLC. All rights reserved.

CERTIFICATE OF COMPLIANCE

Certificate number	UL-US-L247489-081127-03701202-2
Report reference	E247489-20210730
Date	2024-04-29

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

USL/CNL – Circular Plug-In Connector, RST Micro Cat. No. RST08I3, may be followed by /2, followed by S, followed by B, S, 1 or 2, followed by 1, may be followed by Z, or Y, followed by R1 or R2, followed by color code xx, followed by rated voltage option x, , followed by additional letters, numbers, or both.

USL/CNL – Panel-Mounted Connectors, RST Micro Cat. No. RST08I3, may be followed by /2, followed by S, followed by B, S, 1 or 2, followed by 1, followed by M0, followed by 2, followed by rated voltage which maybe up to 400 maximum, followed by additional letters, numbers, or both.

USL, CNL – Distribution Connectors, RST Micro Cat. No. RST08I, followed by 2 or 3, followed by V or VL, followed by 2 or 3, followed by P, R or G, followed by 1, followed by H or Y, may be followed by F, may be followed by G, may be followed by V, may be followed by G, followed by rated voltage letter (any) which may be up to 400V maximum, followed by additional letters, numbers, or both.

USL/CNL – Circular Plug-In Connector, RST Micro Cat. No. RST08I5, may be followed by /4, followed by S, followed by B, S, 1 or 2, followed by 1, may be followed by Z, or Y, followed by R5 or R6, followed by color code xx, followed by rated voltage which maybe up to 400 maximum, , followed by additional letters, numbers, or both.

USL/CNL – Panel-Mounted Connectors, RST Micro Cat. No. RST08I5, may be followed by /4, followed by S, followed by B, S, 1 or 2, followed by 1, followed by M0, followed by 4, followed by rated voltage which maybe up to 400 maximum, followed by additional letters, numbers, or both.



David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

© 2024 UL LLC. All rights reserved.

Certificate of Compliance

Certificate Number:

UL-CA-L247489-081427-03701202-2

Report Reference:

E247489-20210730

Issue Date:

2024-04-29

Issued to:

Wieland Electric GmbH
Brennerstrasse 10-14 Bamberg 96052
Germany

This certificate confirms that representative samples of:

CYJV7 - Cable Assemblies and Fittings for Industrial Control and Signal Distribution Certified for Canada

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

CSA C22.2 No. 182.3, 2nd Ed., Issue Date: 2016-07, Revision Date: 2021-5

Additional Information:
See UL Product iQ® at https://iq.ulprospector.com for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.

David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

© 2024 UL LLC. All rights reserved.

CERTIFICATE OF COMPLIANCE

Certificate number	UL-CA-L247489-081427-03701202-2
Report reference	E247489-20210730
Date	2024-04-29

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

USL/CNL – Circular Plug-In Connector, RST Micro Cat. No. RST08I3, may be followed by /2, followed by S, followed by B, S, 1 or 2, followed by 1, may be followed by Z, or Y, followed by R1 or R2, followed by color code xx, followed by rated voltage option x, , followed by additional letters, numbers, or both.

USL/CNL – Panel-Mounted Connectors, RST Micro Cat. No. RST08I3, may be followed by /2, followed by S, followed by B, S, 1 or 2, followed by 1, followed by M0, followed by 2, followed by rated voltage which maybe up to 400 maximum, followed by additional letters, numbers, or both.

USL, CNL – Distribution Connectors, RST Micro Cat. No. RST08I, followed by 2 or 3, followed by V or VL, followed by 2 or 3, followed by P, R or G, followed by 1, followed by H or Y, may be followed by F, may be followed by G, may be followed by V, may be followed by G, followed by rated voltage letter (any) which may be up to 400V maximum, followed by additional letters, numbers, or both.

USL/CNL – Circular Plug-In Connector, RST Micro Cat. No. RST08I5, may be followed by /4, followed by S, followed by B, S, 1 or 2, followed by 1, may be followed by Z, or Y, followed by R5 or R6, followed by color code xx, followed by rated voltage which maybe up to 400 maximum, , followed by additional letters, numbers, or both.

USL/CNL – Panel-Mounted Connectors, RST Micro Cat. No. RST08I5, may be followed by /4, followed by S, followed by B, S, 1 or 2, followed by 1, followed by M0, followed by 4, followed by rated voltage which maybe up to 400 maximum, followed by additional letters, numbers, or both.



David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

© 2024 UL LLC. All rights reserved.
Form-ULID-013925-CoCa – ver 1.0

CERTIFICATE OF COMPLIANCE

Certificate number UL-CA-L247489-081427-03701202-2
Report reference E247489-20210730
Date 2024-04-29

Ratings:

Cat Nos/Series	Max. Number of Live Poles	Number of functional Earth Poles (for noise)	AWG	Voltage (VAC DC)	Current (A)
RST08I3 series (circular plug-in connectors and panel-mounted connectors)	3	0	20	400	8
			22	400	6
			24 (US only)	400	4
	2	1	20	400	8
			22	400	6
			24 (US Only)	400	4
RST08I3 Series (Distribution Connectors)	3	0	N/A	400	8
	2	1	N/A	400	8
RST08I5 series (circular plug-in connectors and panel-mounted connectors)	5	0	18	400	8
			20	400	8
			22	400	6
			24 (US only)	400	4
RST08I5 series (circular plug-in connectors and panel-mounted connectors)	4	1	18	400	8
			20	400	8
			22	400	6
			24 (US only)	400	4

David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

© 2024 UL LLC. All rights reserved.
Form-ULID-013925-CoCa – ver 1.0

CERTIFICATE OF COMPLIANCE

Certificate number	UL-CA-L247489-081427-03701202-2
Report reference	E247489-20210730
Date	2024-04-29

Environmental Ratings:

RST08I3 series Panel-Mounted Connectors:

Type 4, 4X, 6, and 6P (+)

+ = Maintains rating when mated to Type 6P rated enclosure and additionally mated to appropriate Male or Female Circular Plug-In Connector or cover cap.

RST08I3 series Circular Plug-In Connector:

Type 4, 4X, 6, and 6P (+)

+ = Maintains rating when Circular Plug-In Connectors mated to appropriate Male or Female Circular Plug-In Connector or appropriate Panel-Mounted Connector or cover cap.

RST08I5 series Panel-Mounted Connectors:

Type 4, 4X, 6 and 6P (+)

+ = Maintains rating when mated to Type 6P rated enclosure and additionally mated to appropriate Male or Female Circular Plug-In Connector or cover cap.

RST08I5 series Circular Plug-In Connector:

Type 4, 4X, 6 and 6P (+)

+ = Maintains rating when Circular Plug-In Connectors mated to appropriate Male or Female Circular Plug-In Connector or appropriate Panel-Mounted Connector or cover cap.

These devices have been subjected to Type testing in UL 50E for Type 4, 4X, 6 and 6P with any Listed or R/C AWM and CN certified cable suitable suitably rated, suitable for use external to equipment, and suitable for the end-use application.

David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

© 2024 UL LLC. All rights reserved.